

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 1 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

SECTION 1: Identification

Product identifier

Product name: Threadlocker - Medium Strength - Blue

Product code: 24206AUS, 24213AUS, 24236AUS



Recommended use of the product and restriction on use

Relevant identified uses: Adhesive

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

United States

J-B Weld Company, LLC

400 CMH Road

Sulphur Springs, TX 75482

903-885-7696

Supplier:

Australia

HPP Lunds

1/195 Jackson Rd

Sunnybank Hills, Qld 4109

1300-306-781

Emergency telephone number:

Australia

InfoTrac

1300-366-961 (24 hours)

SECTION 2: Hazard(s) identification

GHS classification:

Skin irritation, category 2

Skin sensitization, category 1

Serious eye damage, category 1

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H318 Causes serious eye damage

H335 May cause respiratory irritation

H315 Causes skin irritation

H317 May cause an allergic skin reaction

Precautionary statements:

P271 Use only outdoors or in a well-ventilated area

P264 Wash skin thoroughly after handling

P280 Wear face protection

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 2 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray
P272 Contaminated work clothing should not be allowed out of the workplace
P321 Specific treatment (see supplemental first aid instructions on this label)
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 Immediately call a POISON CENTER or doctor/physician
P302+P352 IF ON SKIN: Wash with plenty of soap and water
P362 Take off contaminated clothing and wash before reuse
P333+P313 If skin irritation or rash occurs: Get medical advice/attention
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P403+P233 Store in a well-ventilated place. Keep container tightly closed
P405 Store locked up
P501 Dispose of contents/container in accordance to local regulations.

Hazards not otherwise classified:

None

SECTION 3: Composition and information on ingredients

| Identification | Name | Weight % |
|----------------------------|---|----------|
| CAS number: 80-15-9 | α,α -dimethylbenzyl hydroperoxide | <3 |
| CAS number: 98-82-8 | Cumene | <1.5 |
| CAS number: 57-55-6 | Propane-1,2-diol | <5 |
| CAS number: 80-62-6 | Methyl methacrylate | <1.5 |
| CAS number: 609-72-3 | N,N-dimethyl-o-toluidine | <1.5 |
| CAS number: 613-48-9 | N,N-diethyl-p-toluidine | <1.5 |
| CAS number: 67-56-1 | Methanol | <1.5 |
| CAS number: 13463-67-7 | Titanium Dioxide | <1.5 |
| CAS number: 112945-52-5 | Silica, amorphous, fumed, cryst.-free | <5 |

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 3 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

Skin contact may result in redness, pain, burning and inflammation.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate medical attention and special treatment

Specific treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

If respiratory symptoms persist, seek medical attention.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Fire fighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA with a full-face piece operated in positive pressure mode).

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 4 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage precautions

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls and personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|-----------------------|-----------|------------|--|
| Australia | Cumene | 98-82-8 | 8-Hour TWA: 125 mg/m ³ (25 ppm) |
| | Cumene | 98-82-8 | Short Term Limit Value: 375 mg/m ³ (75 ppm) |

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 5 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|-----------------------|---------------------------------------|-------------|---|
| | Propane-1,2-diol | 57-55-6 | TWA: 150 ppm (Vapor and particulates) |
| | Propane-1,2-diol | 57-55-6 | TWA: 474 mg/m ³ (Vapor and particulates) |
| | Propane-1,2-diol | 57-55-6 | TWA: 10 mg/m ³ (Particulates only) |
| | Methyl methacrylate | 80-62-6 | TWA: 50 ppm |
| | Methyl methacrylate | 80-62-6 | TWA: 208 mg/m ³ |
| | Methyl methacrylate | 80-62-6 | STEL: 100 ppm |
| | Methyl methacrylate | 80-62-6 | STEL: 416 mg/m ³ |
| | Methanol | 67-56-1 | TWA: 200 ppm |
| | Methanol | 67-56-1 | TWA: 262 mg/m ³ |
| | Methanol | 67-56-1 | STEL: 250 ppm |
| | Methanol | 67-56-1 | STEL: 328 mg/m ³ |
| | Titanium Dioxide | 13463-67-7 | TWA: 10 mg/m ³ (National Workplace OELs) |
| | Silica, amorphous, fumed, cryst.-free | 112945-52-5 | 8-Hour TWA: 2 mg/m ³ |

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks,

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 6 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| | |
|---|----------------------------------|
| Appearance | Blue Liquid |
| Odor | Not determined or not available. |
| Odor threshold | Not determined or not available. |
| pH | Not determined or not available. |
| Melting point/freezing point | Not determined or not available. |
| Initial boiling point/range | Not determined or not available. |
| Flash point (closed cup) | 100°C (212°F) |
| Evaporation rate | Not determined or not available. |
| Flammability (solid, gas) | Not determined or not available. |
| Upper flammability/explosive limit | Not determined or not available. |
| Lower flammability/explosive limit | Not determined or not available. |
| Vapor pressure | Not determined or not available. |
| Vapor density | Not determined or not available. |
| Density | 1.1 g/cm ³ |
| Relative density | Not determined or not available. |
| Solubilities | Not determined or not available. |
| Partition coefficient (n-octanol/water) | Not determined or not available. |
| Auto/Self-ignition temperature | Not determined or not available. |
| Decomposition temperature | Not determined or not available. |
| Dynamic viscosity | Not determined or not available. |
| Kinematic viscosity | Not determined or not available. |
| Explosive properties | Not determined or not available. |
| Oxidizing properties | Not determined or not available. |

Other information

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible materials:

None known.

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 7 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Hazard information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Route | Result |
|---------------------------------------|------------|---------------------------------|
| α,α-dimethylbenzyl hydroperoxide | oral | LD50 rat: 382 mg/kg |
| | dermal | LD50 rat: 500 mg/kg |
| | inhalation | LC50 mouse: 200 ppmV (4H) |
| Cumene | oral | LD50 Mouse: 12,750 mg/kg |
| | dermal | LD50 Rabbit: 10,600 mg/kg |
| Propane-1,2-diol | oral | LD50 Rat: 21,000 - 33,700 mg/kg |
| | dermal | LD50 Rabbit: >2000 mg/kg |
| Methyl methacrylate | oral | LD50 Rat: 7900 mg/kg |
| | dermal | LD50 Rabbit: >5000 mg/kg |
| | inhalation | LC50 Rat: 29.8 mg/L (4 hours) |
| Titanium Dioxide | oral | LD50 Mouse: > 5000 mg/kg |
| | inhalation | LC50 Rat: 5.09 mg/L (4 hr) |
| Silica, amorphous, fumed, cryst.-free | oral | LD50 Rat: 3160 mg/kg |

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data:

No data available.

Substance data:

| Name | Result |
|---------------------------------------|---------------------------|
| Methyl methacrylate | Causes skin irritation. |
| Silica, amorphous, fumed, cryst.-free | Causes skin irritation. |
| α,α-dimethylbenzyl hydroperoxide | Causes severe skin burns. |
| N,N-diethyl-p-toluidine | Causes skin irritation. |

Serious eye damage/irritation

Assessment:

Causes serious eye damage.

Product data:

No data available.

Substance data:

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 8 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

| Name | Result |
|---|--------------------------------|
| Silica, amorphous, fumed, cryst.-free | Causes serious eye irritation. |
| α,α -dimethylbenzyl hydroperoxide | Causes serious eye damage. |
| N,N-diethyl-p-toluidine | Causes serious eye irritation. |

Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction.

Product data:

No data available.

Substance data:

| Name | Result |
|---------------------|--------------------------------------|
| Methyl methacrylate | May cause an allergic skin reaction. |

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Species | Result |
|------------------|-----------------|---|
| Titanium Dioxide | Not applicable. | Airborne, unbound particles of respirable size are known to cause cancer. |

International Agency for Research on Cancer (IARC):

| Name | Classification |
|---------------------------------------|----------------|
| Cumene | Group 2B |
| Methyl methacrylate | Group 3 |
| Titanium Dioxide | Group 2B |
| Silica, amorphous, fumed, cryst.-free | Group 3 |

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment:

May cause respiratory irritation.

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 9 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

Product data:

No data available.

Substance data:

| Name | Result |
|---------------------------------------|--|
| Cumene | May cause respiratory irritation to the upper respiratory tract via inhalation exposure. |
| Methyl methacrylate | May cause respiratory irritation. |
| Methanol | Causes damage to Optic nerve (nervus opticus), central nervous system. |
| Silica, amorphous, fumed, cryst.-free | May cause respiratory irritation. |

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

| Name | Result |
|---|--|
| α,α -dimethylbenzyl hydroperoxide | May cause damage to lungs through prolonged or repeated exposure via inhalation. |
| N,N-dimethyl-o-toluidine | May cause damage to organs through prolonged or repeated exposure. |

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

| Name | Result |
|--------|---|
| Cumene | May be fatal if swallowed and enters airways. |

Information on likely routes of exposure:

Eye, Skin, Inhalation.

Symptoms related to the physical, chemical and toxicological characteristics:

Refer to Section 4 of this SDS.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Result |
|---|--|
| Propane-1,2-diol | EC50 Daphnia magna: 43500 mg/L (48 hr) |
| | LC50 Oncorhynchus mykiss: 40613 mg/L (96 hr) |
| α,α -dimethylbenzyl hydroperoxide | LC50 Oncorhynchus mykiss: 3.9 mg/L (96 hr) |

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 10 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

Chronic (long-term) toxicity

Assessment:

Harmful to aquatic life with long lasting effects.

Product data: No data available.

Substance data:

| Name | Result |
|---|---|
| Cumene | LC50 Cyprinodon variegatus: 4.7 mg/L (96 hr) |
| | EC50 Daphnia magna: 2.14 mg/L (48 hr) |
| Propane-1,2-diol | EC50 Selenastrum capricornutum: 18,100 mg/L (14 days) |
| α,α -dimethylbenzyl hydroperoxide | NOEC Desmodesmus subspicatus: 1 mg/L (72 hr) |

Persistence and degradability

Product data: No data available.

Substance data:

| Name | Result |
|---|---|
| Cumene | Readily biodegradable in water (>60% in 10 days). |
| Propane-1,2-diol | Readily biodegradable. |
| Methyl methacrylate | Readily biodegradable. |
| Methanol | Readily biodegradable (97% degradation after 20 days). |
| Titanium Dioxide | Degradation/biodegradation testing is not relevant for metals and metal compounds that are not (bio)degradable, including titanium dioxide. |
| α,α -dimethylbenzyl hydroperoxide | Not readily biodegradable (3% degradation after 28 days). |

Bioaccumulative potential

Product data: No data available.

Substance data:

| Name | Result |
|---|---|
| Cumene | Calculated BCF: 94.69 L/kg (low potential for bioconcentration is to be expected) |
| Propane-1,2-diol | BCF: 0.09; Low potential of bioaccumulation. |
| Methyl methacrylate | Does not accumulate in organisms. |
| Methanol | Methanol does not significantly bioaccumulate in fish. Experimental BCFs of < 10 in fish species. |
| α,α -dimethylbenzyl hydroperoxide | No bioaccumulation potential is expected (calculated BCF: 9; estimated log Kow: 2.160). |

Mobility in soil

Product data: No data available.

Substance data:

| Name | Result |
|---|---|
| Cumene | Moderately Mobile (Calculated log Koc: 2.946) |
| Methyl methacrylate | Adsorption to solid soil phase is not expected. |
| Methanol | Highly mobile (Koc: 0.13 - 0.61 dimensionless). |
| α,α -dimethylbenzyl hydroperoxide | Mobile (log Koc: 1.6). |

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 11 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

| | |
|---|---|
| Propane-1,2-diol | Substance is not PBT. |
| Methyl methacrylate | This substance is not PBT. |
| Methanol | This substance is not PBT. |
| Titanium Dioxide | According to Annex XIII of regulation (EC) 1907/2006 a PBT assessment shall not be conducted for inorganic substances. Titanium dioxide is an inorganic substance, thus a PBT assessment is not required. |
| α,α -dimethylbenzyl hydroperoxide | This substance is not PBT. |

vPvB assessment:

| | |
|---|---|
| Propane-1,2-diol | Substance is not vPvB. |
| Methyl methacrylate | This substance is not vPvB. |
| Methanol | This substance is not vPvB. |
| Titanium Dioxide | According to Annex XIII of regulation (EC) 1907/2006 a vPvB assessment shall not be conducted for inorganic substances. Titanium dioxide is an inorganic substance, thus a vPvB assessment is not required. |
| α,α -dimethylbenzyl hydroperoxide | This substance is not vPvB. |

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport information

Australian Dangerous Goods (ADG)

| | |
|-------------------------------|---------------|
| UN number | Not regulated |
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 12 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

International Maritime Dangerous Goods (IMDG)

| | |
|-------------------------------|---------------|
| UN number | Not regulated |
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| | |
|-------------------------------|---------------|
| UN number | Not regulated |
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

| | |
|--------------------|------|
| Bulk Name | None |
| Ship type | None |
| Pollution category | None |

SECTION 15: Regulatory information

Australia regulations

Australian Inventory of Chemical Substances (AICS): All ingredients are listed or exempt.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

| Ingredient Name | CAS | Schedules |
|---------------------|---------|-----------|
| Cumene | 98-82-8 | 5 |
| Methyl methacrylate | 80-62-6 | 6, 10 |
| Methanol | 67-56-1 | 5, 6 |

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This SDS was authored in accordance with the Australian Work Health and Safety Regulations and supplemented by the Australian Code of Practice on the Preparation of Safety Data Sheets for Hazardous Chemicals. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Safety Data Sheet

According to the Australian Work Health and Safety Regulations

Initial preparation date: 08.31.2017

Page 13 of 13

Revision date: 06.02.2020

Threadlocker - Medium Strength - Blue

Initial preparation date: 08.31.2017

Revision date: 06.02.2020

Revision Notes:

| Revision Date | Notes |
|---------------|--|
| 2020-06-02 | Classification and composition change. |

Additional information:

Version 2

End of Safety Data Sheet